

LASVIT Technical Sheet

DAS POP COLLECTION

DESIGNER: Marteen Baas

YEAR OF DESIGN: 2014

MATERIAL: Opal Hand Blown Glass

With the 'Das Pop' chandelier, Maarten Baas looked toward classic, recognizable shapes, yet with a modern and almost comic twist. Technically it's a unique joint-venture between two crafts, the classic handblown glass by Lasvit and the clay-covered arms by Baas and his production team from Den Herder Production House. Emphasizing random shapes, it illustrates the personal and non-industrial feel of the product.



PACKAGING

Das Pop Chandelier

Total weight: 50 kg

Pallet 1200 × 800 × 1100 mm

Das Pop Floor Lamp

Size: 700 × 700 × 1500 mm

Total weight: 20 kg

Das Pop Table Lamp

Size: 460 × 460 × 730 mm

Total weight: 7 kg

Pallet 1200 × 800 × 1200 mm: 2 pcs

LASVIT Technical Sheet

DAS POP COLLECTION

TECHNICAL DETAILS D. P. CHANDELIER

Type	CE	UL
Light source	12 × G4 LED 12V, 2W, 3000K Lm 200 CRI 80 dimmable	12 × G4 LED 12V, 2W, 3000K Lm 200 CRI 80 dimmable
Input voltage	230V DC	120V AC – 12V DC
Rated power	24W	24W
Ballast	clay	
Surface finish of metal frame	1 – 10V DC	
Prot. rating	IP 20	
Safety class	CLASS I	

LASVIT Technical Sheet

DAS POP COLLECTION

TECHNICAL DETAILS D. P. FLOOR LAMP

Type	CE	UL
Light source	1 × LED G9, Paulmann, 3W 2700K, Lm 300 CRI 80 no dimmable	1 × LED G9, EA 4,5W 2700K, Lm 450 CRI 90 no dimmable
Input voltage	230V/50Hz	120V AC/50Hz
Rated power	3W	4,5W
Cord color	black	
Surface finish of metal frame	clay	
Prot. rating	IP 20	
Safety class	CLASS II	

LASVIT Technical Sheet

DAS POP COLLECTION

TECHNICAL DETAILS D. P. TABLE LAMP

Type	CE	UL
Light source	1 × LED G4, 2W, 3000K Lm 200 CRI 80 no dimmable	1 × LED G4, 2W, 3000K Lm 200 CRI 80 no dimmable
Input voltage	230V AC	110V AC
Rated power	2W	2W
Cord color	black	
Surface finish of metal frame	clay	
Prot. rating	IP 20	
Safety class	CLASS II	

LASVIT Technical Sheet




DAS POP COLLECTION

TECHNICAL DRAWING

D. P. Chandelier

D. P. Floor Lamp

D. P. Table Lamp



Name	Dia (mm/inch)	H / +L (mm/inch)	Z (mm/inch)	V (mm/inch)
Chandelier	1200/47 $\frac{1}{4}$ "	880/34 $\frac{5}{8}$ "	-	-
Floor Lamp	600/23 $\frac{5}{8}$ "	1850/72 $\frac{13}{16}$ "	-	-
Table Lamp	350/13 $\frac{3}{4}$ "	650/25 $\frac{1}{16}$ "	-	-

LASVIT Technical Sheet

Name	Glass color	Item ID – CE	Item ID – UL	Weight (approx.)
Chandelier	opal	CL018SA-5CE00-0222S1	CL018SA-5UL00-0222S1	35kg/77lb
Floor Lamp	opal	CL018FA-5CE00-0222S1	CL018FA-5UL00-0222S1	10kg/22lb
Table Lamp	opal	CL018TA-5CE00-0222S1	CL018TA-5UL00-0222S1	3kg/6,6lb

EACH LASVIT COLLECTION IS UNIQUE BECAUSE IT IS COMPLETELY HANDCRAFTED. TINY BUBBLES AND OTHER IRREGULARITIES MAY OCCUR DUE TO THE NATURE OF THE HIGH QUALITY GLASS-BLOWING TECHNIQUE