

# LASVIT Technical Sheet

## HIDDEN LIGHT COLLECTION

**DESIGNER:** Jan Plecháč & Henry Wielgus

**YEAR OF DESIGN:** 2019

**MATERIAL:** Hand Blown Bohemian Crystal Glass

When designing Hidden Light, Jan Plecháč and Henry Wielgus explored the question of what constitutes an inner spark? What principles are universal to the whole world regardless of society or culture? It is our inner energy that can set us free, a lantern that guides us to freedom.

To create the reticulated surface, the glass must be blown into a special metal cage. It is difficult to create a perfect metal form, but once it is made, it can last for (almost) eternity. This design is a challenge for glassblowers also in terms of its size. It is so heavy that the blower must make five trips to pick up enough glass to finally blow the object.



---

### PACKAGING

Pendant

Size: 480 × 500 × 650 mm

Total weight: 20 kg

Floor

Size: 480 × 500 × 650 mm

Total weight: 24 kg



# LASVIT Technical Sheet

## HIDDEN LIGHT COLLECTION

### TECHNICAL DETAILS HIDDEN LIGHT PENDANT

Type	CE	UL
Light source	1 × E27, max. 40W	1 × E26, max. 25W
Color temper.	2700K	
	dimmable	
Input voltage	220-240V / 50/60Hz	120V, 60Hz
Rated power (Pmax)	40W	25W
Prot. rating	IP 20	
Safety class	CLASS I	
Cord color	black textile cord	
Cord length	min. 500mm/1' - 7 11/16" – 2000mm/6' - 6 3/4", longer cord is available, contact your sale person	
Canopy color	brass matt	

# LASVIT Technical Sheet

## HIDDEN LIGHT COLLECTION

### TECHNICAL DETAILS HIDDEN LIGHT FLOOR

Type	CE	UL
Light source	1 × E27, max. 40W	1 × E26, max. 25W
Color temper.	2700K	
	dimnable	dimnable
Input voltage	220-240V / 50/60Hz	120V, 60Hz
Rated power (Pmax)	40W	25W
Prot. rating	IP 20	
Safety class	CLASS II	
Cord color	black textile cable with dimmer	black textile cable with switch
Cord length	1700 mm/5' - 6 <sup>15</sup> / <sub>16</sub> "	
Canopy color	brass matt	



# LASVIT Technical Sheet

## HIDDEN LIGHT COLLECTION

### TECHNICAL DRAWING

Pendant

Floor



Name	Dia (mm/inch)	H / +L (mm/inch)	Z (mm/inch)	V (mm/inch)
pendant	360/1' - 2 3/16"	450/1' - 5 23/32"	203/ 8"	56/2 7/ 32"
floor	360/1' - 2 3/16"	540/1' - 9 5/32"	-	-

# LASVIT Technical Sheet

<b>Name</b>	<b>Glass color</b>	<b>Item ID – CE</b>	<b>Item ID – UL</b>	<b>Weight(approx.)</b>
<b>Pendant</b>	Clear	CL096PA-1CE-0143S1	CL096PA-1UL-0143S1	15kg/33lb
<b>Floor</b>	Clear	CL096FA-6CE-0143S1	CL096FA-6UL-0143S1	17kg/37,5lb

**EACH LASVIT COLLECTION IS UNIQUE BECAUSE IT IS COMPLETELY HANDCRAFTED. TINY BUBBLES AND OTHER IRREGULARITIES MAY OCCUR DUE TO THE NATURE OF THE HIGH QUALITY GLASS-BLOWING TECHNIQUE**